



77 Omer-DeSerres, suite 7
Blainville, Québec, J7C 5N3
Canada
Tel: 450-435-3637
Fax: 450-435-3016

www.jftech.ca
sales@jftech.ca

JF Tech fabrique depuis 2001 divers cordons et multifibres de fibres optiques ainsi que des atténuateurs, adaptateurs et autres accessoires. Afin de répondre à une plus grande demande sans cesse grandissante, nous avons aménagé dans notre nouvelle bâtisse pour desservir plus rapidement et avec plus d'efficacité notre clientèle.

JF Tech manufactures since 2001, high quality fibre optic cable assemblies including: patchcords, pigtails, multifiber assemblies, adapters, fixed attenuators and many fibre accessories. To meet customer's demands of same day shipping on cable assemblies and components, JF Tech has moved to a larger facility to expand its production and warehouse capabilities. With the additional space, we will now be able to implement production for quick turn around on common fibre optic assemblies and custom made assemblies.



Fiber optic assemblies from JFTech provide the highest quality and maximum performance from ceramic ferrule connectors.

MULTIMODE PATCHCORD SIMPLEX & DUPLEX (62.5/125)



PART# DESCRIPTION STANDARD LENGTH

ST-ST		SIMPLEX
JF-MMS-STST-001	SIMPLEX ST-ST	1 Meter
JF-MMS-STST-002	SIMPLEX ST-ST	2 Meters
JF-MMS-STST-003	SIMPLEX ST-ST	3 Meters
JF-MMS-STST-005	SIMPLEX ST-ST	5 Meters
JF-MMS-STST-010	SIMPLEX ST-ST	10 Meters
JF-MMS-STST-015	SIMPLEX ST-ST	15 Meters
JF-MMS-STST-020	SIMPLEX ST-ST	20 Meters
JF-MMS-STST-025	SIMPLEX ST-ST	25 Meters

ST-ST		DUPLEX
JF-MMD-STST-001	DUPLEX ST-ST	1 Meter
JF-MMD-STST-002	DUPLEX ST-ST	2 Meters
JF-MMD-STST-003	DUPLEX ST-ST	3 Meters
JF-MMD-STST-005	DUPLEX ST-ST	5 Meters
JF-MMD-STST-010	DUPLEX ST-ST	10 Meters
JF-MMD-STST-015	DUPLEX ST-ST	15 Meters
JF-MMD-STST-020	DUPLEX ST-ST	20 Meters
JF-MMD-STST-025	DUPLEX ST-ST	25 Meters

SC-SC		SIMPLEX
JF-MMS-SCSC-001	SIMPLEX SC-SC	1 Meter
JF-MMS-SCSC-002	SIMPLEX SC-SC	2 Meters
JF-MMS-SCSC-003	SIMPLEX SC-SC	3 Meters
JF-MMS-SCSC-005	SIMPLEX SC-SC	5 Meters
JF-MMS-SCSC-010	SIMPLEX SC-SC	10 Meters
JF-MMS-SCSC-015	SIMPLEX SC-SC	15 Meters
JF-MMS-SCSC-020	SIMPLEX SC-SC	20 Meters
JF-MMS-SCSC-025	SIMPLEX SC-SC	25 Meters

SC-SC		DUPLEX
JF-MMD-SCSC-001	DUPLEX SC-SC	1 Meter
JF-MMD-SCSC-002	DUPLEX SC-SC	2 Meters
JF-MMD-SCSC-003	DUPLEX SC-SC	3 Meters
JF-MMD-SCSC-005	DUPLEX SC-SC	5 Meters
JF-MMD-SCSC-010	DUPLEX SC-SC	10 Meters
JF-MMD-SCSC-015	DUPLEX SC-SC	15 Meters
JF-MMD-SCSC-020	DUPLEX SC-SC	20 Meters
JF-MMD-SCSC-025	DUPLEX SC-SC	25 Meters

Typical Loss-----0.12dB

NOTE: SC/SC Available in 50/125

**P
A
T
C
H
C
O
R
D

A
S
S
E
M
B
L
I
E
S**

Fiber optic assemblies from JFTech provide the highest quality and maximum performance from ceramic ferrule connectors.

LC PATCHCORD SIMPLEX & DUPLEX (62.5/125 & 50/125) AND HYBRID

P
A
T
C
H
C
O
R
D

A
S
S
E
M
B
L
I
E
S

PART# DESCRIPTION STANDARD LENGTH

LC-LC	SIMPLEX	
JF-MMS-LCLC-001	SIMPLEX LC-LC	1 Meter
JF-MMS-LCLC-002	SIMPLEX LC-LC	2 Meters
JF-MMS-LCLC-003	SIMPLEX LC-LC	3 Meters
JF-MMS-LCLC-005	SIMPLEX LC-LC	5 Meters
JF-MMS-LCLC-010	SIMPLEX LC-LC	10 Meters
JF-MMS-LCLC-015	SIMPLEX LC-LC	15 Meters
JF-MMS-LCLC-020	SIMPLEX LC-LC	20 Meters
JF-MMS-LCLC-025	SIMPLEX LC-LC	25 Meters


LC-LC	DUPLEX	
JF-MMD-LCLC-001	DUPLEX LC-LC	1 Meter
JF-MMD-LCLC-002	DUPLEX LC-LC	2 Meters
JF-MMD-LCLC-003	DUPLEX LC-LC	3 Meters
JF-MMD-LCLC-005	DUPLEX LC-LC	5 Meters
JF-MMD-LCLC-010	DUPLEX LC-LC	10 Meters
JF-MMD-LCLC-015	DUPLEX LC-LC	15 Meters
JF-MMD-LCLC-020	DUPLEX LC-LC	20 Meters
JF-MMD-LCLC-025	DUPLEX LC-LC	25 Meters

LC-SC	SIMPLEX	
JF-MMS-LCSC-001	SIMPLEX LC-SC	1 Meter
JF-MMS-LCSC-002	SIMPLEX LC-SC	2 Meters
JF-MMS-LCSC-003	SIMPLEX LC-SC	3 Meters
JF-MMS-LCSC-005	SIMPLEX LC-SC	5 Meters
JF-MMS-LCSC-010	SIMPLEX LC-SC	10 Meters
JF-MMS-LCSC-015	SIMPLEX LC-SC	15 Meters
JF-MMS-LCSC-020	SIMPLEX LC-SC	20 Meters
JF-MMS-LCSC-025	SIMPLEX LC-SC	25 Meters

LC-SC	DUPLEX	
JF-MMD-LCSC-001	DUPLEX LC-SC	1 Meter
JF-MMD-LCSC-002	DUPLEX LC-SC	2 Meters
JF-MMD-LCSC-003	DUPLEX LC-SC	3 Meters
JF-MMD-LCSC-005	DUPLEX LC-SC	5 Meters
JF-MMD-LCSC-010	DUPLEX LC-SC	10 Meters
JF-MMD-LCSC-015	DUPLEX LC-SC	15 Meters
JF-MMD-LCSC-020	DUPLEX LC-SC	20 Meters
JF-MMD-LCSC-025	DUPLEX LC-SC	25 Meters

LC-ST	SIMPLEX	
JF-MMS-LCST-001	SIMPLEX LC-ST	1 Meter
JF-MMS-LCST-002	SIMPLEX LC-ST	2 Meters
JF-MMS-LCST-003	SIMPLEX LC-ST	3 Meters
JF-MMS-LCST-005	SIMPLEX LC-ST	5 Meters
JF-MMS-LCST-010	SIMPLEX LC-ST	10 Meters
JF-MMS-LCST-015	SIMPLEX LC-ST	15 Meters
JF-MMS-LCST-020	SIMPLEX LC-ST	20 Meters
JF-MMS-LCST-025	SIMPLEX LC-ST	25 Meters

Typical Loss-----0.12dB



Fiber optic assemblies from JFTech provide the highest quality and maximum performance from ceramic ferrule connectors.

LC PATCHCORD SIMPLEX & DUPLEX (62.5/125 & 50/125) AND HYBRID



PART#	DESCRIPTION	STANDARD LENGTH
LC-ST		
DUPLEX		
JF-MMD-LCST-001	DUPLEX LC-ST	1 Meter
JF-MMD-LCST-002	DUPLEX LC-ST	2 Meters
JF-MMD-LCST-003	DUPLEX LC-ST	3 Meters
JF-MMD-LCST-005	DUPLEX LC-ST	5 Meters
JF-MMD-LCST-010	DUPLEX LC-ST	10 Meters
JF-MMD-LCST-015	DUPLEX LC-ST	15 Meters
JF-MMD-LCST-020	DUPLEX LC-ST	20 Meters
JF-MMD-LCST-025	DUPLEX LC-ST	25 Meters

SC/ST PATCHCORD SIMPLEX & DUPLEX (62.5/125 & 50/125)



PART#	DESCRIPTION	STANDARD LENGTH
SC-ST		
DUPLEX		
JF-MMD-SCST-001	DUPLEX SC-ST	1 Meter
JF-MMD-SCST-002	DUPLEX SC-ST	2 Meters
JF-MMD-SCST-003	DUPLEX SC-ST	3 Meters
JF-MMD-SCST-005	DUPLEX SC-ST	5 Meters
JF-MMD-SCST-010	DUPLEX SC-ST	10 Meters
JF-MMD-SCST-015	DUPLEX SC-ST	15 Meters
JF-MMD-SCST-020	DUPLEX SC-ST	20 Meters
JF-MMD-SCST-025	DUPLEX SC-ST	25 Meters

SINGLEMODE UPC PATCHCORD SIMPLEX & DUPLEX (ULTRA PC)



PART#	DESCRIPTION	STANDARD LENGTH
ST-ST		
SIMPLEX		
JF-SMS-STST-001	SIMPLEX ST-ST	1 Meter
JF-SMS-STST-002	SIMPLEX ST-ST	2 Meters
JF-SMS-STST-003	SIMPLEX ST-ST	3 Meters
JF-SMS-STST-005	SIMPLEX ST-ST	5 Meters
JF-SMS-STST-010	SIMPLEX ST-ST	10 Meters
JF-SMS-STST-015	SIMPLEX ST-ST	15 Meters
JF-SMS-STST-020	SIMPLEX ST-ST	20 Meters
JF-SMS-STST-025	SIMPLEX ST-ST	25 Meters
ST-ST		
DUPLEX		
JF-SMD-STST-001	DUPLEX ST-ST	1 Meter
JF-SMD-STST-002	DUPLEX ST-ST	2 Meters
JF-SMD-STST-003	DUPLEX ST-ST	3 Meters
JF-SMD-STST-005	DUPLEX ST-ST	5 Meters
JF-SMD-STST-010	DUPLEX ST-ST	10 Meters
JF-SMD-STST-015	DUPLEX ST-ST	15 Meters
JF-SMD-STST-020	DUPLEX ST-ST	20 Meters
JF-SMD-STST-025	DUPLEX ST-ST	25 Meters

Typical Loss-----**0.15dB**
ORL----- **=> -55 dB**

P
A
T
C
H
C
O
R
D
A
S
S
E
M
B
L
I
E
S

Fiber optic assemblies from JFTech provide the highest quality and maximum performance from ceramic ferrule connectors.

SINGLEMODE UPC PATCHCORD SIMPLEX & DUPLEX (ULTRA PC)

PART#	DESCRIPTION	STANDARD LENGTH
-------	-------------	-----------------

SC-SC	SIMPLEX	
JF-SMS-SCSC-001	SIMPLEX SC-SC	1 Meter
JF-SMS-SCSC-002	SIMPLEX SC-SC	2 Meters
JF-SMS-SCSC-003	SIMPLEX SC-SC	3 Meters
JF-SMS-SCSC-005	SIMPLEX SC-SC	5 Meters
JF-SMS-SCSC-010	SIMPLEX SC-SC	10 Meters
JF-SMS-SCSC-015	SIMPLEX SC-SC	15 Meters
JF-SMS-SCSC-020	SIMPLEX SC-SC	20 Meters
JF-SMS-SCSC-025	SIMPLEX SC-SC	25 Meters

SC-SC	DUPLEX	
JF-SMD-SCSC-001	DUPLEX SC-SC	1 Meter
JF-SMD-SCSC-002	DUPLEX SC-SC	2 Meters
JF-SMD-SCSC-003	DUPLEX SC-SC	3 Meters
JF-SMD-SCSC-005	DUPLEX SC-SC	5 Meters
JF-SMD-SCSC-010	DUPLEX SC-SC	10 Meters
JF-SMD-SCSC-015	DUPLEX SC-SC	15 Meters
JF-SMD-SCSC-020	DUPLEX SC-SC	20 Meters
JF-SMD-SCSC-025	DUPLEX SC-SC	25 Meters

LC-LC	SIMPLEX	
JF-SMS-LCLC-001	SIMPLEX LC-LC	1 Meter
JF-SMS-LCLC-002	SIMPLEX LC-LC	2 Meters
JF-SMS-LCLC-003	SIMPLEX LC-LC	3 Meters
JF-SMS-LCLC-005	SIMPLEX LC-LC	5 Meters
JF-SMS-LCLC-010	SIMPLEX LC-LC	10 Meters
JF-SMS-LCLC-015	SIMPLEX LC-LC	15 Meters
JF-SMS-LCLC-020	SIMPLEX LC-LC	20 Meters
JF-SMS-LCLC-025	SIMPLEX LC-LC	25 Meters

LC-LC	DUPLEX	
JF-SMD-LCLC-001	DUPLEX LC-LC	1 Meter
JF-SMD-LCLC-002	DUPLEX LC-LC	2 Meters
JF-SMD-LCLC-003	DUPLEX LC-LC	3 Meters
JF-SMD-LCLC-005	DUPLEX LC-LC	5 Meters
JF-SMD-LCLC-010	DUPLEX LC-LC	10 Meters
JF-SMD-LCLC-015	DUPLEX LC-LC	15 Meters
JF-SMD-LCLC-020	DUPLEX LC-LC	20 Meters
JF-SMD-LCLC-025	DUPLEX LC-LC	25 Meters




P
A
T
C
H
C
O
R
D

A
S
S
E
M
B
L
I
E
S

SINGLEMODE UPC (HYBRID) SIMPLEX & DUPLEX (ULTRA PC)

PART#	DESCRIPTION	STANDARD LENGTH
-------	-------------	-----------------

SC-ST	SIMPLEX	
JF-SMS-SCST-001	SIMPLEX SC-ST	1 Meter
JF-SMS-SCST-002	SIMPLEX SC-ST	2 Meters
JF-SMS-SCST-003	SIMPLEX SC-ST	3 Meters
JF-SMS-SCST-005	SIMPLEX SC-ST	5 Meters
JF-SMS-SCST-010	SIMPLEX SC-ST	10 Meters
JF-SMS-SCST-015	SIMPLEX SC-ST	15 Meters
JF-SMS-SCST-020	SIMPLEX SC-ST	20 Meters
JF-SMS-SCST-025	SIMPLEX SC-ST	25 Meters



Typical Loss-----0.15dB

4 ORL----- => -55 dB

Fiber optic assemblies from JFTech provide the highest quality and maximum performance from ceramic ferrule connectors.

SINGLEMODE UPC (HYBRID) SIMPLEX & DUPLEX (ULTRA PC)



PART#	DESCRIPTION	STANDARD LENGTH
SC-ST		
DUPLEX		
JF-SMD-SCST-001	DUPLEX SC-ST	1 Meter
JF-SMD-SCST-002	DUPLEX SC-ST	2 Meters
JF-SMD-SCST-003	DUPLEX SC-ST	3 Meters
JF-SMD-SCST-005	DUPLEX SC-ST	5 Meters
JF-SMD-SCST-010	DUPLEX SC-ST	10 Meters
JF-SMD-SCST-015	DUPLEX SC-ST	15 Meters
JF-SMD-SCST-020	DUPLEX SC-ST	20 Meters
JF-SMD-SCST-025	DUPLEX SC-ST	25 Meters
LC-ST		
SIMPLEX		
JF-SMS-LCST-001	SIMPLEX LC-ST	1 Meter
JF-SMS-LCST-002	SIMPLEX LC-ST	2 Meters
JF-SMS-LCST-003	SIMPLEX LC-ST	3 Meters
JF-SMS-LCST-005	SIMPLEX LC-ST	5 Meters
JF-SMS-LCST-010	SIMPLEX LC-ST	10 Meters
JF-SMS-LCST-015	SIMPLEX LC-ST	15 Meters
JF-SMS-LCST-020	SIMPLEX LC-ST	20 Meters
JF-SMS-LCST-025	SIMPLEX LC-ST	25 Meters
LC-ST		
DUPLEX		
JF-SMD-LCST-001	DUPLEX LC-ST	1 Meter
JF-SMD-LCST-002	DUPLEX LC-ST	2 Meters
JF-SMD-LCST-003	DUPLEX LC-ST	3 Meters
JF-SMD-LCST-005	DUPLEX LC-ST	5 Meters
JF-SMD-LCST-010	DUPLEX LC-ST	10 Meters
JF-SMD-LCST-015	DUPLEX LC-ST	15 Meters
JF-SMD-LCST-020	DUPLEX LC-ST	20 Meters
JF-SMD-LCST-025	DUPLEX LC-ST	25 Meters
LC-SC		
SIMPLEX		
JF-SMS-LCSC-001	SIMPLEX LC-SC	1 Meter
JF-SMS-LCSC-002	SIMPLEX LC-SC	2 Meters
JF-SMS-LCSC-003	SIMPLEX LC-SC	3 Meters
JF-SMS-LCSC-005	SIMPLEX LC-SC	5 Meters
JF-SMS-LCSC-010	SIMPLEX LC-SC	10 Meters
JF-SMS-LCSC-015	SIMPLEX LC-SC	15 Meters
JF-SMS-LCSC-020	SIMPLEX LC-SC	20 Meters
JF-SMS-LCSC-025	SIMPLEX LC-SC	25 Meters
LC-SC		
DUPLEX		
JF-SMD-LCSC-001	DUPLEX LC-SC	1 Meter
JF-SMD-LCSC-002	DUPLEX LC-SC	2 Meters
JF-SMD-LCSC-003	DUPLEX LC-SC	3 Meters
JF-SMD-LCSC-005	DUPLEX LC-SC	5 Meters
JF-SMD-LCSC-010	DUPLEX LC-SC	10 Meters
JF-SMD-LCSC-015	DUPLEX LC-SC	15 Meters
JF-SMD-LCSC-020	DUPLEX LC-SC	20 Meters
JF-SMD-LCSC-025	DUPLEX LC-SC	25 Meters

Typical Loss-----0.15dB
ORL----- => -55 dB

P
A
T
C
H
C
O
R
D
A
S
S
E
M
B
L
I
E
S

FIXED ATTENUATORS MALE-TO-FEMALE

PART#	DESCRIPTION	ATTENUATION
LC TYPE		
JF-ATT-SM-LC-02dB	LC/UPC MALE TO FEMALE	02 dB
JF-ATT-SM-LC-03dB	LC/UPC MALE TO FEMALE	03 dB
JF-ATT-SM-LC-04dB	LC/UPC MALE TO FEMALE	04 dB
JF-ATT-SM-LC-05dB	LC/UPC MALE TO FEMALE	05 dB
JF-ATT-SM-LC-07dB	LC/UPC MALE TO FEMALE	07 dB
JF-ATT-SM-LC-10dB	LC/UPC MALE TO FEMALE	10 dB
JF-ATT-SM-LC-15dB	LC/UPC MALE TO FEMALE	15 dB
JF-ATT-SM-LC-20dB	LC/UPC MALE TO FEMALE	20 dB



SC TYPE		
JF-ATT-SM-SC-02dB	SC/UPC MALE TO FEMALE	02 dB
JF-ATT-SM-SC-03dB	SC/UPC MALE TO FEMALE	03 dB
JF-ATT-SM-SC-05dB	SC/UPC MALE TO FEMALE	05 dB
JF-ATT-SM-SC-07dB	SC/UPC MALE TO FEMALE	07 dB
JF-ATT-SM-SC-10dB	SC/UPC MALE TO FEMALE	10 dB
JF-ATT-SM-SC-15dB	SC/UPC MALE TO FEMALE	15 dB
JF-ATT-SM-SC-20dB	SC/UPC MALE TO FEMALE	20 dB



LOOPBACK MODULES (MULTIMODE & SINGLEMODE)

PART#	DESCRIPTION
LOOPBACK MODULES MULTIMODE	
JF-LOOPBACK-MM-LC	LC/UPC LOOPBACK MODULE MULTIMODE
JF-LOOPBACK-MM-SC	SC/UPC LOOPBACK MODULE MULTIMODE



LOOPBACK MODULES SINGLEMODE	
JF-LOOPBACK-SM-LC	LC/UPC LOOPBACK MODULE SINGLEMODE
JF-LOOPBACK-SM-SC	SC/UPC LOOPBACK MODULE SINGLEMODE



ADAPTERS IN-LINE (Bulkhead)



PART#	DESCRIPTION
LC TYPE	
JF-ADAPT-MMS-LC	LC TO LC SIMPLEX ADAPTER MULTIMODE
JF-ADAPT-MMD-LC	LC TO LC DUPLEX ADAPTER MULTIMODE
JF-ADAPT-SMS-LC	LC TO LC SIMPLEX ADAPTER SINGLEMODE
JF-ADAPT-SMD-LC	LC TO LC DUPLEX ADAPTER SINGLEMODE
JF-ADAPT-SMS-LCA	LC TO LC SIMPLEX APC ADAPTER
JF-ADAPT-SMD-LCA	LC TO LC DUPLEX APC ADAPTER
SC TYPE	
JF-ADAPT-MMS-SC	SC TO SC SIMPLEX ADAPTER MULTIMODE
JF-ADAPT-MMD-SC	SC TO SC DUPLEX ADAPTER MULTIMODE
JF-ADAPT-SMS-SC	SC TO SC SIMPLEX ADAPTER SINGLEMODE
JF-ADAPT-SMD-SC	SC TO SC DUPLEX ADAPTER SINGLEMODE
JF-ADAPT-SMS-SCA	SC TO SC SIMPLEX APC ADAPTER
JF-ADAPT-SMD-SCA	SC TO SC DUPLEX APC ADAPTER
FC TYPE	
JF-ADAPT-MMS-FC	FC TO FC ADAPTER MULTIMODE
JF-ADAPT-SMS-FC	FC TO FC ADAPTER SINGLEMODE
JF-ADAPT-SMS-FCA	FC TO FC ADAPTER APC
ST TYPE	
JF-ADAPT-MMS-ST	ST TO ST ADAPTER MULTIMODE
JF-ADAPT-SMS-ST	ST TO ST ADAPTER SINGLEMODE

ADAPTERS IN LINE & HYBRID

HYBRID ADAPTERS



PART#	DESCRIPTION
ST-FC TYPE	
JF-ADAPT-SMS-ST-FC	ST TO FC ADAPTER FEMALE TO FEMALE
JF-ADAPT-SMS-SC-FC	SC TO FC ADAPTER FEMALE TO FEMALE
JF-ADAPT-SMS-LC-SC	LC TO SC ADAPTER FEMALE TO FEMALE



CUSTOM ASSEMBLIES PATCHCORDS

CABLE TYPE	FIBER TYPE	CONNECTOR #1	CONNECTOR #2	LENGTH
S= Simplex =3.0mm	1-SINGLEMODE	A - SC/PC Simplex	A - SC/PC Simplex	XXX Meters
D= Duplex =3.0mm	2-62.5/125um	B - SC/PC Duplex	B - SC/PC Duplex	
T= Simplex =2.0mm	3-50/125um	C - SC/UPC Simplex	C - SC/UPC Simplex	
U= Duplex =2.0mm	4-50/125 10Gig	D - SC/UPC Duplex	D - SC/UPC Duplex	
O= OTHERS	5-OTHERS	E - SC/APC Simplex	E - SC/APC Simplex	
		F - SC/APC Duplex	F - SC/APC Duplex	
		G - LC/PC Simplex	G - LC/PC Simplex	
		H - LC/PC Duplex	H - LC/PC Duplex	
		I - LC/UPC Simplex	I - LC/UPC Simplex	
		J - LC/UPC Duplex	J - LC/UPC Duplex	
		K - LC/APC Simplex	K - LC/APC Simplex	
		L - LC/APC Duplex	L - LC/APC Duplex	
		M - ST/PC Simplex	M - ST/PC Simplex	
		N - ST/PC Duplex	N - ST/PC Duplex	
		O - ST/UPC Simplex	O - ST/UPC Simplex	
		P - ST/UPC Duplex	P - ST/UPC Duplex	
		Q - Pigtail 900 um	Q - Pigtail 900 um	
		R - FC/PC Simplex	R - FC/PC Simplex	
		S - FC/PC Duplex	S - FC/PC Duplex	
		T - FC/UPC Simplex	T - FC/UPC Simplex	
		U - FC/UPC Duplex	U - FC/UPC Duplex	
		V - FC/APC Simplex	V - FC/APC Simplex	
		W - FC/APC Duplex	W - FC/APC Duplex	
		X - MTRJ (w/pins)	X - MTRJ (w/pins)	
		Y - MTRJ (no pins)	Y - MTRJ (no pins)	
		Z - Others	Z - Others	
		AA - E-2000/APC	AA - E-2000/APC	
		BB - E-2000/UPC	BB - E-2000/UPC	


P
A
T
C
H
C
O
R
D

A
S
S
E
M
B
L
I
E
S

DESCRIPTION

PART # Example : JF-S-1-C-C-005-N

Simplex 3mm singlemode SC/UPC SC/UPC 5meters



PIGTAIL ASSEMBLIES

PART# DESCRIPTION

SC TYPE MULTIMODE & SINGLEMODE PIGTAILS

JF-MM625-06SC-900-003	PIGTAIL 62.5 MULTIMODE 6 FIBRES SC 900um 3 METERS
JF-MM625-06SC-2mm-003	PIGTAIL 62.5 MULTIMODE 6 FIBRES SC 2mm 3 METERS
JF-MM625-12SC-900-003	PIGTAIL 62.5 MULTIMODE 12 FIBRES SC 900um 3 METERS
JF-MM625-12SC-2mm-003	PIGTAIL 62.5 MULTIMODE 12 FIBRES SC 2mm 3 METERS
JF-MM50-06SC-900um-003	PIGTAIL 50 MULTIMODE 6 FIBRES SC 900um 3 METERS
JF-MM50-06SC-2mm-003	PIGTAIL 50 MULTIMODE 6 FIBRES SC 2mm 3 METERS
JF-MM50-12SC-900um-003	PIGTAIL 50 MULTIMODE 12 FIBRES SC 900um 3 METERS
JF-MM50-12SC-2mm-003	PIGTAIL 50 MULTIMODE 12 FIBRES SC 2mm 3 METERS
JF-SM-06SC-900um-003	PIGTAIL SINGLEMODE 6 FIBRES SC/UPC 900um 3 METERS
JF-SM-06SC-2mm-003	PIGTAIL SINGLEMODE 6 FIBRES SC/UPC 2mm 3 METERS
JF-SM-12SC-900um-003	PIGTAIL SINGLEMODE 12 FIBRES SC/UPC 900um 3 METERS
JF-SM-12SC-2mm-003	PIGTAIL SINGLEMODE 12 FIBRES SC/UPC 2mm 3 METERS
JF-SM-06SCA-900um-003	PIGTAIL SINGLEMODE 6 FIBRES SC/APC 900um 3 METERS
JF-SM-06SCA-2mm-003	PIGTAIL SINGLEMODE 6 FIBRES SC/APC 2mm 3 METERS
JF-SM-12SCA-900um-003	PIGTAIL SINGLEMODE 12 FIBRES SC/APC 900um 3 METERS
JF-SM-12SCA-2mm-003	PIGTAIL SINGLEMODE 12 FIBRES SC/APC 2mm 3 METERS



LC TYPE MULTIMODE & SINGLEMODE PIGTAILS

JF-MM625-06LC-900um-003	PIGTAIL 62.5 MULTIMODE 6 FIBRES LC 900um 3 METERS
JF-MM625-06LC-2mm-003	PIGTAIL 62.5 MULTIMODE 6 FIBRES LC 2mm 3 METERS
JF-MM625-12LC-900um-003	PIGTAIL 62.5 MULTIMODE 12 FIBRES LC 900um 3 METERS
JF-MM625-12LC-2mm-003	PIGTAIL 62.5 MULTIMODE 12 FIBRES LC 2mm 3 METERS
JF-MM50-06LC-900um-003	PIGTAIL 50 MULTIMODE 6 FIBRES LC 900um 3 METERS
JF-MM50-06LC-2mm-003	PIGTAIL 50 MULTIMODE 6 FIBRES LC 2mm 3 METERS
JF-MM50-12LC-900um-003	PIGTAIL 50 MULTIMODE 12 FIBRES LC 900um 3 METERS
JF-MM50-12LC-2mm-003	PIGTAIL 50 MULTIMODE 12 FIBRES LC 2mm 3 METERS
JF-MM50-12LC-900um-003	PIGTAIL 50 MULTIMODE 12 FIBRES LC 900um 3 METERS
JF-MM50-12LC-2mm-003	PIGTAIL 50 MULTIMODE 12 FIBRES LC 2mm 3 METERS
JF-SM-12LC-900um-003	PIGTAIL SINGLEMODE 12 FIBRES LC/UPC 900um 3 METERS
JF-SM-12LC-2mm-003	PIGTAIL SINGLEMODE 12 FIBRES LC/UPC 2mm 3 METERS
JF-SM-06LCA-900um-003	PIGTAIL SINGLEMODE 6 FIBRES LC/APC 900um 3 METERS
JF-SM-06LCA-2mm-003	PIGTAIL SINGLEMODE 6 FIBRES LC/APC 2mm 3 METERS
JF-SM-12LCA-900um-003	PIGTAIL SINGLEMODE 12 FIBRES LC/APC 900um 3 METERS
JF-SM-12LCA-2mm-003	PIGTAIL SINGLEMODE 12 FIBRES LC/APC 2mm 3 METERS



ST TYPE MULTIMODE & SINGLEMODE PIGTAILS

JF-MM625-06ST-900um-003	PIGTAIL 62.5 MULTIMODE 6 FIBRES ST 900um 3 METERS
JF-MM625-06ST-2mm-003	PIGTAIL 62.5 MULTIMODE 6 FIBRES ST 2mm 3 METERS
JF-MM625-12ST-900um-003	PIGTAIL 62.5 MULTIMODE 12 FIBRES ST 900um 3 METERS
JF-MM625-12ST-2mm-003	PIGTAIL 62.5 MULTIMODE 12 FIBRES ST 2mm 3 METERS
JF-MM50-06ST-900um-003	PIGTAIL 50 MULTIMODE 6 FIBRES ST 900um 3 METERS
JF-MM50-06ST-2mm-003	PIGTAIL 50 MULTIMODE 6 FIBRES ST 2mm 3 METERS
JF-MM50-12ST-900um-003	PIGTAIL 50 MULTIMODE 12 FIBRES ST 900um 3 METERS
JF-MM50-12ST-2mm-003	PIGTAIL 50 MULTIMODE 12 FIBRES ST 2mm 3 METERS
JF-SM-06ST-900um-003	PIGTAIL SINGLEMODE 6 FIBRES ST/UPC 900um 3 METERS
JF-SM-06ST-2mm-003	PIGTAIL SINGLEMODE 6 FIBRES ST/UPC 2mm 3 METERS
JF-SM-12ST-900um-003	PIGTAIL SINGLEMODE 12 FIBRES ST/UPC 900um 3 METERS
JF-SM-12ST-2mm-003	PIGTAIL SINGLEMODE 12 FIBRES ST/UPC 2mm 3 METERS



P
I
G
T
A
I
L

A
S
S
E
M
B
L
I
E
S

CUSTOM MULTIFIBER ASSEMBLIES

M
U
L
T
I
F
I
B
E
R

A
S
S
E
M
B
L
I
E
S

CABLE COUNT	FIBRE TYPE	CONNECTORS	TRANSITION LENGTH FROM CONNECTORS TO CABLE JACKET	TRANSITION TYPE
04= 4 FIBRE	1-SINGLEMODE	A - SC/PC Simplex	1- 1 meter (Default)	9- 900um
06= 6 FIBRE	2-62.5/125um	B - SC/PC Duplex	2- 2 meters	2- 2mm
12= 12FIBRE	3-50/125um	C - SC/UPC Simplex	3- 3 meters	3- 3mm
24= 24FIBRE	4-50/125 10Gig	D - SC/UPC Duplex	4- 4 meters	0- Others
36= 36FIBRE	5-OTHERS	E - SC/APC Simplex	5- 5 meters	
48= 48FIBRE		F - SC/APC Duplex	6- 6 meters	
72= 72FIBRE		G - LC/PC Simplex	0- Others	
96= 96FIBRE		H - LC/PC Duplex		
		I - LC/UPC Simplex		
		J - LC/UPC Duplex		
		K - LC/APC Simplex		
		L - LC/APC Duplex		
		M - ST/PC Simplex		
		N - ST/PC Duplex		
		O - ST/UPC Simplex		
		P - ST/UPC Duplex		
		Q - Pigtail 900 um		
		R - FC/PC Simplex		
		S - FC/PC Duplex		
		T - FC/UPC Simplex		
		U - FC/UPC Duplex		
		V - FC/APC Simplex		
		W - FC/APC Duplex		
		X - MTRJ (w/pins)		
		Y - MTRJ (no pins)		
		Z - Others		
		AA - E-2000/APC		
		BB - E-2000/UPC		


CABLE LENGTH
XXX
IN METERS

OPTION
PULLING EYE
INSTALLED
PE = PULLING
EYE




DESCRIPTION

PART # Example : JF-24-2-C-C-1-9-040-PE



JFtech



77 Omer-DeSerres, suite 7
Blainville, Québec, J7C 5N3
Canada
Tel: 450-435-3637
Fax: 450-435-3016

www.jftech.ca
sales@jftech.ca